526 Rec'd SCT/PTC 14 JUL 2000

FORM PTO-139 (REV 12-29-99)		RIMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	7376 2					
TRANSMITTAL LETTER TO THE UNITED STATES			7376-2					
DESIGNATED/ELECTED OFFICE (DO/EO/US)			US APPLICATION NO (If known, see 37 CFR 15)					
(CONCERNING A FILL	NG UNDER 35 U.S.C. 371 INTERNATIONAL FILING DATE	09700000					
	TIONAL APPLICATION NO. T/GB99/00044	PRIORITY DATE CLAIMED January 16, 1998						
TITLE O	FINVENTIONBARRIER MA	TERIALS AND PRODUCTS PRODUCE	D THEREWITH					
		t Moule and Simon Moule						
Applicant		tes Designated/Elected Office (DO/EO/US) the follo	owing items and other information:					
1. X	1. X This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.							
2.	2. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.							
3. X 4. X	This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1). 4. X A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.							
5.	A copy of the International Ap	plication as filed (35 U.S.C. 371(c)(2))	national Purson					
		n (required only if not transmitted by the Inter-	madonai burcau).					
	b. has been transmitted by a pot required, as the	by the International Bureau. application was filed in the United States Reco	eiving Office (RO/US).					
6.		nal Application into English (35 U.S.C. 371(c)						
7.		the International Application under PCT Article						
<u> </u>		th (required only if not transmitted by the Into						
	b. have been transmitted	by the International Bureau.						
		however, the time limit for making such amend	dments has NOT expired.					
_	d. have not been made a							
8.		nts to the claims under PCT Article 19 (35 U.S						
9. X	An oath or declaration of the i	nventor(s) (35 U.S.C. 371(c)(4)). (unsign	ied)					
10.	A translation of the annexes to (35 U.S.C. 371(c)(5)).	the International Preliminary Examination Re	eport under PCT Article 36					
Items	11. to 16. below concern docum	nent(s) or information included:						
11.		stement under 37 CFR 1.97 and 1.98.						
12.	An assignment document for r	recording. A separate cover sheet in compliance	ce with 37 CFR 3.28 and 3.31 is included.					
13. X	A FIRST preliminary amendm	ent.						
	A SECOND or SUBSEQUEN	T preliminary amendment.						
14.								
15.	A change of power of attorney	and/or address letter.						
16. X	Other items or information:							
	Copy of WO 99/36755	,	2					
	Copy of Internation	nal Preliminary Examination I	keport					
	<u> </u>	L. 111.00	July 14, 2000					
	"Express Mail" la	bel number EL 111281327US. Date	of Deposit					
	I hereby certify the Post Office to Add	at this paper or fee is being deposited with the Unite dressee" service under 37 CFR § 1.10 on the date inconsioner for Patents, Washington, D.C 20231.	ed States Postal Service "Express Mail					
		Sail Mener						
1	Signature of reist							

INTERNATIONAL APPLICATION NO PCT/GB99/00044 PTO USE ONLY CALCULATIONS 17. The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$970.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$840.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO International preliminary examination fee paid to USPTO (37 CFR 1.482) International preliminary examination fee paid to USPTO (37 CFR 1.482) \$ 840.00 ENTER APPROPRIATE BASIC FEE AMOUNT = Surcharge of \$130.00 for furnishing the oath or declaration later than \$ months from the earliest claimed priority date (37 CFR 1.492(e)). RATE NUMBER EXTRA NUMBER FILED CLAIMS X \$18.00 16 O \$ Total claims - 20 = 0 X \$78.00 \$ Independent claims - 3 = \$ + \$260.00 MULTIPLE DEPENDENT CLAIM(S) (if applicable) \$ 840.00 TOTAL OF ABOVE CALCULATIONS Reduction of 1/2 for filing by small entity, if applicable. A Small Entity Statement must also by filed (Note 37 CFR 1.9, 1.27, 1.28). ũ \$ 840,00 SUBTOTAL M Processing fee of \$130.00 for furnishing the English translation later than 20 30 months from the earliest claimed priority date (37 CFR 1.492(f)). \$ 840.00 TOTAL NATIONAL FEE 1 Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be S Harry . accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property s 840.00 TOTAL FEES ENCLOSED Amount to be S refunded: C \$ charged: A check in the amount of \$_840.00_\text{to cover the above fees is enclosed.} Ĺ 1.2 _____ to cover the above fees. __ in the amount of \$_ Please charge my Deposit Account No. _ A duplicate copy of this sheet is enclosed. The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 23-3030. A duplicate copy of this sheet is enclosed. NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status. SEND ALL CORRESPONDENCE TO SIGNATURE Thomas Q. Henry Thomas Q. Henr Woodard, Emhardt, Naughton, Moriarty & McNett NAME 111 Monument Circle 28,309 3700 Bank One Tower REGISTRATION NUMBER Indianapolis, IN 46204

534 Rec'd PCT/

26 Apr 01 2:17PM; Job 821; Page 7/./

MARKS&CLERK

NO.555 P.7/8

The first the transport of the first that the first

SIGNATURE

7376-2:TQH:94691; WENMM SE/10 (4-89) Docket Number (Optional) STATEMENT CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) & 1.27 (b))—SMALL BUSINESS CONCERN 7376-2 Robert Moule, Simon Moule Applicant, Patentee, or identifier: 09/600,359 Application or Patent No.: Filed or Issued: BARRIER MATERIALS AND PRODUCTS PRODUCED THEREWITH I hereby state that I am the owner of the small business concern identified below: an official of the small business concern empowered to act on behalf of the concern identified below; Food Guardian Limited NAME OF SMALL BUSINESS CONCERN Ashfields, Leigh Sinton, Worcestershire WR13 5DH ADDRESS OF SMALL BUSINESS CONCERN United Kingdom I hereby state that the above identified small business concern qualifies as a small business concern as Defined in 13 CFR Part 121 for purposes of paying reduced fees to the United States Patent and Trademark Office. Questions related to size standards for a small business concern may be directed to: Small Business Administration, Size Standards Staff, 406 Third Street, SW, Washington, i hereby state that rights under contract or law have been conveyed to and remain with small business concern identified above DC 20416. with regard to the invention described in: The specification filed herewith with title as fisted above. The application identified above. The patent identified above. If the rights held by the above identified small business concern are not exclusive, each individual, Concern, or organization having Rights in the invention must file separate statements as to their status as small entities, and no rights to the invention are held by any person, other than the inventor, who would Not qualify as an independent inventor under 37 CFR 1.9(e) if that person made the invention, or by any Concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit Organization under 37 CFR 1.9(e). Each person, concern, organization having any rights to the invention is listed below: No such person, concern, or organization exists. Each such person, concern, or organization is listed below. Separate statements are required from each named person, concern, or organization having rights to the invention stating their status as small entities. (37 CFR 1.27) I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitiement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after date on which status as a small emity is no longer appropriate (37 CFR 1.28 (b)). Amoid Givnn Hubbard name of Person Signing Managing Director TITLE OF PERSON IF OTHER THAN OWNER 28 Park Avenue, Bushey, Henfordshire, WD2 28H, United Kingdom ADDRESS OF PERSON SIGNING

7376-2:TQH:94989; WENMM SB/09 (4-99 T Docket Number (Optional)

	CLAIMING SMALL) & 1.27 (b) }—INDE	ENTITY STATUS PENDENT INVENTOR	7376-2	
Applicant, P	atentee, or identifier:	Robert Moule, Simon Moule		
Application	or Patent No.: 09	/600,359		
Filed or Issu	red:			
Title:	BARRIER MATERIAL	S AND PRODUCTS PRODUC	ED THEREWITH	
As a below n 37 CFR 1.9(d	amed inventor, I hereby c) for purposes of paying	r state that I qualify as an indep 3 reduced fees to the Patent ar	pendent inventor as defined in nd Trademark Office describe	ı d in:
뮵	The application identified			
D	The patent identified abo			
assign, grant independent	, convey, or license, an inventor under 37 CFR	/ed, or licensed, and am under y rights in the invention to any 1.9 (c) if that person had made s concern under 37 CFR 1.9 (d	person who would not qualify the invention, or to any cond	as an em which
Each person an obligation below:	concern, or organization under contract of law to	on to which I have assigned, gr o assign, grant, convey, or licer	anted, conveyed, or licensed use any rights in the invention	or am under is listed
	such person, concern, or	organization exists. or organization is listed below.		
□ Ea	ch person, concern, organ	ization having any rights to the inv		و والمراب برناس
	parate statements are require tus as small entitles, (37 CFR	d from each named person, concern, o 1.27)	n eigenssign bevind tidtie to me tu	Acudou aminuð
i e e e e e e e e e e e e e e e e e e e	l Business Concern Mall Business Conci		i n, War cestershire WR13 5DH	
loss of entitle	ment to small entity sta enance fee due after the	application or patent, notificati tus prior to paying, or at the tin a date on which status as a sm	ne of paying, the earliest of the	e issue fee
ROBERT MC RAME OF INVE (types or printed Signature of Inve	Starle.	SIMON MOULE NAME OF INVENTO (by and or printed) Signature of Inventor 8/9/00	Morle.	
Date { -	4 00	Simon	MOVLE	

● 09/600359 534 Rec'd PCT/PTC 14 JUL 2000

7376-2:TQH:94321

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of:)
Robert Moule et al.)
Serial No. (unknown))
Filed Herewith)
BARRIER MATERIALS AND PRODUCTS PRODUCED THEREWITH)))
US National Stage of PCT/GB99/00044 International Filing Date January 16, 1998)))
PRELIMINAR	Y AMENDMENT
Hon. Assistant Commissioner of Patents	
Washington, D.C. 20231	
Sir:	
Please enter the following Prelimina	ry Amendment in the above-identified patent
application. The Commissioner is hereby a	uthorized to charge payment of any additional
fees associated with this application or cred	it any overpayment to Deposit Account No.
23-3030.	
IN THE CLAIMS	
Please cancel claims 1-16.	
Please add new claims 17-32.	

"Express Mail" label number EL/II28132745. Date of Deposit July 14, 2000. I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR § 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Trademarks, 2900 Crystal Dr., Arlington, Virginia 22202-3513

Signature of Person Mailing Correspondence

- -17. A marking element for indicating whether a pre-defined temperature condition has been maintained comprising a first material capable of flowing above a predetermined temperature separated from a second absorbent material by a heat disruptable barrier layer, the first and second materials being such that when the barrier layer is punctured and the predetermined temperature is exceeded the first material flows in the second material to produce a detectable change wherein the heat disruptable barrier layer is comprised of a heat disruptable material associated with an element capable of being inductively heated by electromagnetic energy to effect disruption of said material.
- 18. A marking element as claimed in claim 17 comprising a lower layer which, together with the heat disruptable barrier layer, forms a reservoir for the first material, and an absorbent layer provided on the opposite side of the barrier layer to said reservoir.
- 19. A marking element as claimed in claim 17 wherein the absorbent layer is overlaid by a transparent film.
- 20. A marking element as claimed in claim 17 wherein the heat disruptable material is a film.
- 21. A marking element as claimed in claim 20 wherein the heat disruptable material is a plastics film.
- 22. A marking element as claimed in claims 17 wherein the inductively heatable element is provided on the heat disruptable material.
- 23. A marking element as claimed in claim 17 wherein the inductively heatable element is provided by a conductive ink.
- 24. A marking element as claimed in claim 23 wherein the conductive ink is a metallic ink or a graphite loaded ink.

- 25. A marking element as claimed in claim 17 wherein the inductively heatable element is provided by metal, carbon or an electrically conductive plastics or polymeric material.
- 26. A marking element as claimed in claim 25 wherein the inductively heatable element is of metal in the form of a film, sheet or foil.
- 27. A marking element as claimed in claim 17 wherein the barrier layer is disruptable by radiofrequency energy.
- 28. A marking element as claimed in claim 17 which is disruptable by microwave energy.
- 29. A method of activating a marking element as claimed in claim 1, the method comprising subjecting the marking element to electromagnetic energy capable of inductively heating said inductive heatable element to effect disruption of the barrier layer.
- 30. A barrier material comprised of a heat disruptable material associated with an element capable of being inductively heated by electromagnetic energy to effect disruption of said material.
- 31. A barrier material as claimed in claim 30 and comprising a heat disruptable material associated with an element capable of being inductively heated by electromagnetic energy to effect disruption of said material.
- 32. A method of disrupting a barrier material as claimed in claim 30, the method comprising subjecting the barrier material to electromagnetic energy capable of inductively heating said element to effect disruption of the material.--

REMARKS

Consideration and allowance of the above-identified patent application is requested.

Respectfully submitted,

By:_

Thomas Q.Henry

Reg. No. 28,309

Woodard, Emhardt, Naughton

Moriarty & McNett

Bank one Center/Tower

111 Monument Circle, Suite 3700

Indianapolis, IN 46204-5137

(317) 634-3456

107-1:TQH·94321

● PCT/GB99/00044 09/600359

534 Rec'd PCT/PTC 14 JUL 2000

BARRIER MATERIALS AND PRODUCTS PRODUCED THEREWITH

1

The present invention relates to heat disruptable barrier materials (particularly but not exclusive): thin plastics films), to the disruption of such materials, and to products incorporating these materials.

There are numerous examples of products incorporating barrier materials which must be disrupted (e.g. punctured) to allow communication between both sides of the barrier. Examples of such products include containers which contain food to be microwaved and which are covered with a film or the like which must be punctured prior to the food being microwaved to ensure that steam is vented from the container. Whilst it may be a relatively simple task manually to puncture the film for a single product item, it obviously becomes time consuming to repeat the operation for a plurality of items, e.g. for catering on a commercial scale,

A further problem of puncturing barrier layers occurs when the barrier is beneath a further layer which itself must not be punctured. A particular example of this problem is encountered in the marking element disclosed in WO-A-9208113 which is used for indicating whether a product has been maintained under a particular temperature or temperature-time condition. More particularly the marking element as manufactured comprises an ink separated from an absorbent wick by a heat disruptable film, all of these components being provided beneath an upper film layer of higher melting/softening temperature than the heat disruptable film.

By way of further explanation, the marking element may be one which is to be used for indicating whether frozen food has been stored at a higher temperature (e.g. room temperature) than is required. As such, the ink is one which is (i) not capable of flowing at the correct storage temperature of the food, but (ii) capable of flowing at or above the temperature at which the food should not be stored. When the marking element is manufactured it is necessary to ensure that the ink (which will flow at the

2

manufacturing temperature) is separated from the wick - hence the need for the barrier layer.

Subsequent to manufacture, the marking element is cooled down (either before or after application to the product to be monitored) to a temperature at which the ink will not flow. The element is then "activated" by application of a heated probe to the upper film layer. This probe is at a temperature at which it does not disrupt the outer film layer but is capable of puncturing the heat disruptable layer so as to allow the ink to reach the wick. If the temperature the product increases beyond a predetermined value then the ink is capable of flowing in the wick to provide an indication of the undesired increase in temperature.

Whilst such marking elements function is a perfectly satisfactory manner, the need to use a heated probe makes it difficult to activate the elements, particularly if they have already been applied to the product to be monitored.

It is an object of the present invention to obviate or mitigate the abovementioned disadvantages.

According to a first aspect of the present invention there is provided a marking element for indicating whether a pre-defined temperature condition has been maintained comprising a first material capable of flowing above a predetermined temperature separated from a second absorbent material by a heat disruptable barrier layer, the first and second materials being such that when the barrier layer is punctured and the predetermined temperature is exceeded the first material flows in the second material to produce a detectable change wherein the heat disruptable barrier layer is comprised of a heat disruptable material associated with an element capable of being inductively heated by electromagnetic energy to effect disruption of said material.

WO 99/36755

PCT/GB99/00044

According to a second aspect of the present invention there is provided a method of activating a marking element as defined in the previous paragraph, the method comprising subjecting the marking element to electromagnetic energy capable of inductively heating said inductive heatable element to effect disruption of the barrier layer.

The heat disruptable material may for example be a film, most preferably a plastics film.

The inductively heatable element may of any material with the requisite conductivity, e.g. metal, carbon or a conductive plastics or polymeric material. Conveniently the inductively heatable element is provided by a marking of an electrically conductive (e.g. metallic) ink or patch on or otherwise associated with the heat disruptable material. Further possibilities for the element are a foil, sheet or film of a metal. A still further possibility is a marking of a graphite (carbon) loaded ink.

The inductively heatable element may be on either side of, or within, the barrier material and may be of any desired shape appropriate to the electromagnetic energy to the used, e.g. a disc or an annulus. The annulus may be of uniform width across its inner and outer edges (e.g. as provided by two concentric circles) or may have one or more "restrictions" around its width.

Preferably also the electromagnetic energy for inductively heating the element is radiofrequency energy (10^4 Hz to 3×10^{12} Hz). Preferably the frequency is from 50 kHz to 1 Mhz more typically 100 kHz to 500 kHz. e.g. 160 kHz to 180 kHz. The power may be 100 W to 1000 W, typically 500 W

In the marking element according to the invention, the barrier layer together with the first and second materials may be provided beneath an outer layer (e.g. an

4

outer film layer). The barrier layer may be selectively disrupted by the use of electromagnetic energy of the appropriate frequency thus avoiding the need for the outer covering layer to be of a higher melting/softening temperature than the barrier layer and the need to use a heated probe. A related advantage is that the marking element may be activated simply by positioning the element (e.g. in situ on a product to be "monitored" by the element) close to an electromagnetic field of the appropriate frequency to effect disruption of the barrier layer. This is a much more convenient technique to the use of a heated probe.

The barrier material as employed in the marking element is an important feature of the invention in its own right and therefore according to a third aspect of the present invention there is provided a barrier material comprised of a heat disruptable material associated with an element capable of being inductively heated by electromagnetic energy to effect disruption of said material.

According to a fourth aspect of the present invention there is provided a method of disrupting a barrier material as defined in the previous paragraph, the method comprising subjecting the barrier material to electromagnetic energy capable of inductively heating said element to effect disruption of the material.

The electromagnetic energy may be microwave energy such that the barrier material of the invention may be used, for example, as a covering for a container which is intended to be heated in a microwave oven. As such, the microwave energy effects inductive heating of the element resulting in the disruption of the covering. As such the need for manual puncturing is avoided.

The barrier material of the invention is particularly suitable for use in products in which a barrier to be punctured is provided beneath at least one further lay: which is required to remain intact since using electromagnetic energy it is possible selectively to disrupt the barrier layer.

WO 99/36755

PCT/GB99/00044

The invention will be further described by any of example only with reference to the accompanying drawings, in which

Fig. I is an exploded perspective view of one embodiment of marking element in accordance with the first aspect of the invention.

Fig. 2 is a cross-section of the marking element illustrated in Fig. 1 prior to activation thereof:

Fig. 3 is a cross-section similar to Fig. 2 but shows the marking element in an activated condition and also indicating that a product has been stored above a predetermined temperature; and

Fig. 4 is a plan view of the label in the condition shown in Fig. 3.

As shown in Fig. 1, a marking element 1 in accordance with the invention is removably mounted on a carrier sheet 2 and is a laminar structure comprised of layers 3-6 described in more detail below and an ink 7 (not shown in Fig. 1 but see Fig. 2).

In more detail, the layer 4 is comprised of a heat disruptable plastics film 8 provided with an inductively heatable element in the form of a marking 9 of an inductively heatable conductive ink. Alternatively the inductively heatable element may for example be provided by a thin metal disc or a metal joint. At its undersurface, barrier layer 4 is bonded around its peripheral surface to the corresponding area of the upper surface of the layer 3 so that a reservoir space (in which the ink 7 is located) is formed between the layers 3 and 4. The undersurface of layer 3 is releasably attached to carrier 2 so that the label 1 may be removed therefrom and attached (by the adhesive) to a product to be monitored.

King was the test the season of

ļ.ā.

 PCT/GB99/00044

e.

The indicator layer 5 is of paper which has been treated with a resin so that only a central area 10 (shown in Fig. 1 in the shape of a thermometer) remains absorbent, the remaining area of the layer 5 as depicted by the hatched lines being non-absorbent. The undersurface of layer 5 is bonded in the hatched areas to the upper surface of the barrier layer 4 and it will be noted from Fig. 1 that the marking 9 of reflective ink (on the barrier layer 4) locates immediately beneath the "bulb" of the thermometer-shaped absorbent area 10 of indicator layer 5.

Layer 6 is a clear plastics layer which overlies, and is bonded to the indicator layer 5. The absorbent area 10 is of contrasting colour to the ink 7.

In the marking element 1 as shown in Figs. 1 and 2, the barrier layer 4 prevents contact between the ink 7 and the absorbent area 10 of indicator layer 5. The ink 7 is one which (once the barrier layer has been disrupted - see below) is only capable of flowing in the absorbent area 10 of layer 5 if the label 1 is above a predetermined temperature. The ink may, for example, comprise an alkyl (particularly a C₁₋₁ alkyl) ester of a long-chain fatty acid. Examples of esters which may be used include ethyl myristate, butyl myristate and butyl laurate. It will of course be appreciated that the ink may comprise a mixture of esters to ensure that the ink flows above a particular temperature. A further possibility is for the ink to comprise a polymeric material which reversibly fuses above a predetermined temperature, e.g. a thermo-reversable wax. Inorganic salts (e.g. sodium or potassium chloride) can also be incorporated in the polymeric material for providing the required temperature of fusion.

For the purposes of "activation", the label 1 is subjected to a temperature at which the ink 7 will not flow. Subsequently, the label 1 (which may be attached to the product to be monitored) is placed close to an electromagnetic field or sufficient energy (flux density) to effect inductive heating of the ink 9. This causes disruption

NO.883

7

(puncturing) of the film 8 beneath the "bulb" of the absorbent area 10 of layer 5 which therefore comes into communication with the reservoir of ink 7

Provided that the product to which the marking element 1 is attached is maintained below a predetermined temperature, the ink is unable to flow (or at least unable to flow to any substantial extent) and does not colour the absorbent area 10. If however the product is raised above the permitted temperature then the ink will flow into, and indelibly mark, the area 10 as depicted in Figs. 3 and 4.

Barrier materials of similar construction to layer four may be used in applications other than a marking element. Such layers may, for example, be used as a covering for a container which is intended to be heated in a microwave oven such that inductive heating of the inductively heatable element results in disruption of the covering.

ļÀ

WO 99/36755



CLAIMS

8

- A marking element for indicating whether a pre-defined temperature condition has been maintained comprising a first material capable of flowing above a predetermined temperature separated from a second absorbent material by a heat disruptable barrier layer, the first and second materials being such that when the barrier layer is punctured and the predetermined temperature is exceeded the first material flows in the second material to produce a detectable change wherein the heat disruptable barrier layer is comprised of a heat disruptable material associated with an element capable of being inductively heated by electromagnetic energy to effect disruption of said material.
- 2. A marking element as claimed in claim 1 comprising a lower layer which, together with the heat disruptable barrier layer, forms a reservoir for the first material, and an absorbent layer provided on the opposite side of the barrier layer to said reservoir.
- 3. A marking element as claimed in claim 1 or 2 wherein the absorbent layer is overlaid by a transparent film.
- A marking element as claimed in any one of claims I to 3 wherein the heat disruptable material is a film.
- 5. A marking element as claimed in claim 4 wherein the heat disruptable material is a plastics film.
- 6 A marking element as claimed in any one of claims 1 to 5 wherein the inductively heatable element is provided on the heat disruptable material.

13.Jul. 2000

200.04

WO 99/36755

A marking element as claimed in any one of claims 1 to 6 wherein the inductively heatable element is provided by a confuctive ink

¥

- A marking element as claimed in claim 7 wherein the conductive ink is a metallic ink or a graphite loaded ink
- A marking element as claimed in any one of claims 1 to 6 wherein the 9. inductively heatable element is provided by metal, carbon or an electrically conductive plastics or polymeric material
- A marking element as claimed in claim 9 wherein the inductively heatable 10. element is of metal in the form of a film, sheet or foil.
- A marking element as claimed in any one of claims 1 to 10 wherein the barrier 11. layer is disruptable by radiofrequency energy.
- 12 A marking element as claimed in any one of claims 1 to 10 which is disruptable by microwave energy
- A method of activating a marking element as claimed in any one of claims 1 to 12, the method comprising subjecting the marking element to electromagnetic energy capable of inductively heating said inductive heatable element to effect disruption of the barrier layer.
- 14. A barrier material comprised of a heat disruptable material associated with an element capable of being inductively heated by electromagnetic energy to effect disruption of said material.
- 15. A barrier material as claimed in claims 13 which is as defined in anyone of claims 1 to 12

1 1

WO 99/36755


10

PCT/GB99/00044

A method of disrupting a barrier material as claimed in claim 14 or 15, the 16. method comprising subjecting the barrier material to electromagnetic energy capable of inductively heating said element to effect disruption of the material.

THE LITE CAN IN THE WAY THAT WHEN THE STATE OF THE STATE WO 99/36755

PCY/GB99/00044



SUBSTITUTE SHEET (RULE 26)

. 14.SEP.2000 14:09

MARKS&CLERK

					WENMM SE/C	1 (2-09)	
DECLARATION AND POWER OF		Attorney Dock	Attorney Docket Number 7376-2		!		
FOR PATENT APP	First Named In	ventor	Robert Moule				
			COMPLETE IF KNOWN				
	☑ Declaration	Application No					
The Ellips	Submitted after Initial Filing	Filing Date					
	(surcharge (37 CFR 1.16(e)) required)	FR Group Art Unit	Group Art Unit				
		Examiner's Na	Ecaminer's Name				
As a below named inventor, it hereby declare that: My residence, post office address and citizenship are as stated below next to my name. I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled BARRIER MATERIALS AND PRODUCTS PRODUCED THEREWITH the specification of which (check one) is attached hereto.							
Was filed on January				o, or			
PCT International Applic	,						
And was amended on			(u a	ppiicabie).		
I hereby state that I have revieus including the claims, as amended I acknowledge the duty to discless accordance with Title 37, Code of the party claim foreign priority beautiful.	by any amendme ose information w f Federal Regulation	thich is material to toons, §1.56.	he patenta	ability of t	this applicat	tion in	
hereby claim foreign priority benef- oplication(s) for patent or inventor's ast one country other than the U necking the box, any foreign applica- oplication on which priority is claime	centricate, or 365; nited States of A ation for patent or	(a) of any PCT inter America, listed bein	netional a _l	pplication	which desi	gnated at	
Frior Poreign Application Number(s) Foreign Filing Date Price			Priority N Claimed			No	
9800814.7	GB C	1/16/1998			<u> </u>		
heraby claim the benefit under 25 U.S.C. 119(e) or	any United States provis	ional application(s) tated be	iow.				
Application Number(s) Filing Date	(MM/DD/YYY)	Additional provisional priority data	application r sheet PTO/S	iumbers are B/02B attac	listed on a suched hereto.	ppiemental	

, 14,SEP.2000 14:09

MARKS&CLERK

NO.555 P.5/8

ate of this application:			,		mr	Perent Fela	
U.S. Pare	nt Application of PCT Number	Parent			Iling Date DIYYY)	Number (if applicab)	
Additional US or PCT Intern	ational application numbers	ere listed on a 400	plement or	ority data sheet	PTO/89/02B	attached bereta.	
As a named inventor, I hereby atent and Trademark Office co.	appoint the following regists						
STORY STORY INCOME AND STORY OF STORY						ace Customer	
	Cusi	Customer Number				Number Bar Code Label Here	
		OR	del namelu	aletration numb	L		
	<u> </u>		· ·				
Thomas Q. Henry	•	Registration 28,309	n Number	Name	Ke.	gistration Number	
seasing of cours							
hereto. Direct all correspondence to :	X Customer Number Bar Code Label	ar		оя	Corresponde	ence address belo	
Name	Thomas Q. Hen	iry					
Firm Name	WOODARD EM	MHARDT NAUGHTON MORIARTY & MCNETT					
Address	111 Monumen	rt Circle, Bank	One To	ver Suite 37	00		
Address			· · · · · · · · ·	F	1		
City	indianapolis	T	State	IN	ZIP	46204	
Country	USA	Telephone	317/6	34-3456	Fax	317-637-7561	
i hereby declare that all s	statemente made herei	n of my own i	moulada	a see true sr	d that all a	tetatemente mac	
n information and belief a nowledge that willful false nder Section 1001 of Titl he validity of the applicati	are believed to be true a statements and the li ie 18 of the United Stat ion or any patent issue	; and further t ike so made a tes Code and	hat these ire punish	statements hable by fine	were mad or impriso	e with the onment, or both	
n information and belief a nowledge that willful false nder Section 1001 of Titi he validity of the applicati Full name of sols or fire	are believed to be true, a statements and the life 18 of the United Station or any patent issue at Inventor:	; and further t ike so made a tes Code and	hat these ire punish	statements nable by fine willful false	were mad or impriso statement	e with the onment, or both	
n information and belief a nowledge that willful falso nder Section 1001 of Title he validity of the application of the section of the sectio	are believed to be true a statements and the li ie 18 of the United Stat ion or any patent issue	; and further t ike so made a tes Code and	hat these ire punish that such	statements hable by fine willful false	were mad or impriso	e with the onment, or both	
n information and belief a nowledge that willful falso nder Section 1001 of Titl he validity of the application of the application of the sole or first and middle, if any)	are believed to be true, a statements and the life 18 of the United Station or any patent issue at Inventor:	; and further t ike so made a tes Code and	hat these ire punish that such	statements nable by fine willful false Name Imme	were mad or impriso statement	e with the nment, or both	
nowledge that willful false nder Section 1001 of Titl he validity of the application of t	are believed to be true, a statements and the life 18 of the United Station or any patent issue at Inventor: Robert Ashfields, Leigh Sinton	; and further tike so made a tes Code and id thereon.	Family Por Surner Signatur	statements nable by fine willful false Name Imme	were mad or impriso statement	e with the or both is may jeopard	
n information and belief a nowledge that willful falsa nder Section 1001 of Titl he validity of the application of the validity of the application of the validity of the validity of the validity of the application of the validity of the validity of the validity of the application of the validity of the application of the validity of the	are believed to be true, a statements and the life 18 of the United Station or any patent issue at Inventor: Robert	; and further tike so made a tes Code and id thereon.	Family Por Surner Signatur	statements nable by fine willful false Name Imme	were mad or impriso statement	e with the onment, or both is may jeopardi	
n information and belief a nowledge that willful falsa nder Section 1001 of Titl the validity of the application validity of the application of the validity of the application of the validity of the va	are believed to be true, a statements and the life 18 of the United Station or any patent issue at Inventor: Robert Ashfields, Leigh Sinton Malvern, Worcestershin	; and further tike so made a tes Code and dithereon.	Family Por Surner Signatur	statements nable by fine willful false Name Imme	were mad or impriso statement	e with the nment, or both is may jeopardi	

Full name of additional joint inventor, if any:

Mary the super well get from the state of the super street from the super street from the super street from the super super street super s

14.SEP.2000 14:09

MARKS&CLERK

NO.555 P.6/8

Given Name (first	Simon	Family Name	Moule			
And middle, if any)		or Surname				
Inventor's Signature:	Sim P. Mole.	Date of Signature:	8/9/00 GBX			
Residence:			6.637			
(City, State, Country)	42 Endymion Road, London, N4 1EQ,	United Kingdom	96X			
Citizenship:	GB					
Post Office Address:	42 Endymion Road, London, N4 1EQ,	United Kingdom				
Full name of additional joint inventor, if any:						
Given Name (first		Family Name				
And middle, if any)		or Sumame				
		Date of				
inventor's Signature:		Signature:				
Residence:						
(City, State, Country)						
Citizenship:						
	-	é				
Post Office Address:		*				
Full name of additional	Joint inventor, if any:					
Given Name (first		Family Name				
And middle, if any)		or Surname				
Inventor's Signature:		Date of Signature:				
Residence:						
(City, State, Country)						
Citizenship:						
Post Office Address:						
Full name of additional	joint inventor, if any;					
Given Name (first		Family Name				
And middle, if any)		or Surname				
Inventor's Signature:		Date of Signature:				
Residence:			<u> </u>			
(City, State, Country)						
						
Citizenship:		·				
Post Office Address:						

Please type a plus sign (+) inside this box ->

PTO/SB/02C (0-97)

Approved for use through 9/30/98. ONB 0851-0009

Palent and Trademark Officer U.S. DEPARTMENT OF COMMENCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a conscion of minimation unless it contains a valid OA/8 control marrier.

DECLARATION

REGISTERED PRACTITIONER INFORMATION (Supplemental Sheet)

Name	Registration Number	Name	Registration Number
Harold R. Woodard	16,214		
C. David Emhardt	18,483		
Joseph A. Naughton, Jr.	19,814		
John V. Moriarty	26,207		
John C. McNett	25,533		
Thomas Q. Henry	28,309		
James M. Durlacher	28,840		,
Charles R. Reeves	28,750	!	
Vincent O. Wagner	29,596		
Steve Zlatos .	30,123	,	
Spiro Bereveskos	30,821	·	
William F. Bahret	31,087		
Clifford W. Browning	32,201	The state of the s	
R. Randall Frisk	32,221		·
Daniel J. Lueders	32,581		
Kenneth A. Gandy	33,386	SEA	
Timothy N. Thomas	35,714		
Kerry P. Sisselman	37,237		
Kurt N. Jones	37,996		
John H. Allie	39,088		
Holiday W. Banta	40,311		
Troy J. Cole	35,102		
L. Scott Paynter	39,797		
J. Andrew Lowes	40,706		
Charles J Meyer	41,996		·
Darrin Wesley Harris	40,636		
Matthew R. Schantz	40,800		
Gregory B. Coy	40,967		
Lisa A. Hiday	40,036		
John V Daniluck	40,581		
Christopher A. Brown	41,642		
Jason J. Schwartz	43,910		
Arthur J. Usher IV	41,359		
Douglas A. Collier	43,556		
Scott J. Stevens	29,446	(•
James B. Myers	42,021		of the individual case. Arry

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time, you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



Rev 3, 19,99

::ODMA-PCDOCS\WENMM_DBM228\I